

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	1-Dec-05	Sunny and Dry	106	3-Dec-05	108	12:01:42	12:15:37
					-	-	-
					-	-	-
City Hall	-	-	-		-	-	-
					-	-	-
					-	-	-

Note: One hour dust measurements taken over a three hour period but data logger failure only identified after data download, problem now corrected

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	7-Dec-05	Sunny and Dry	135	8-Dec-05	48	9:41:02	10:41:01
					50	10:41:02	11:41:01
					40	11:41:02	12:41:01
City Hall	-	-	-		-	-	-
					-	-	-
					-	-	-

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	13-Dec-05	Sunny and Dry	172	16-Dec-05	63	9:43	10:43
					60	10:43	11:43
					58	11:43	12:28
City Hall	-	-	-		-	-	-
					-	-	-
					-	-	-

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	19-Dec-05	Sunny and Dry	98	20-Dec-05	44	9:03	10:03
					31	10:03	11:03
					31	11:03	12:00
City Hall	-	-	-		-	-	-
					-	-	-
					-	-	-

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	22-Dec-05	Fine	139	28-Dec-05	419	10:59	11:59
					402	11:59	12:59
					442	12:59	13:59
City Hall	-	-	-		-	-	-
					-	-	-
					-	-	-

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	28-Dec-05	Cloudy and Hazy	95	29-Dec-05	61	13:01	14:01
					79	14:01	15:01
					91	15:01	16:01

City Hall	-	-	-		-	-	-
					-	-	-
					-	-	-

General Remarks:

Monitoring was not conducted at the City Hall monitoring station because exterior renovation works were undertaken by City Hall at the elevated walkway area.