

**Central Reclamation Phase III  
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	03-Nov-08	Cloudy	45	03-Nov-08	Cloudy	68.9*	09:26	10:26
						100.6*	10:45	11:45
						124*	13:12	14:12
City Hall	03-Nov-08	Cloudy	29	03-Nov-08	Cloudy	49.7*	09:35	10:35
						52.7*	10:55	11:55
						99.4*	13:20	14:20

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	07-Nov-08	Sunny	64	07-Nov-08	Sunny	54.8*	09:30	10:30
						40.5*	10:45	11:45
						39.3*	13:05	14:05
City Hall	07-Nov-08	Sunny	57	07-Nov-08	Sunny	56.5*	09:20	10:20
						60.8*	10:35	11:35
						40.5*	13:15	14:15

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	13-Nov-08	Sunny	74	13-Nov-08	Sunny	65*	09:27	10:27
						61*	10:34	11:34
						57*	13:25	14:25
City Hall	13-Nov-08	Sunny	73	13-Nov-08	Sunny	61*	09:43	10:43
						62*	10:47	11:47
						58*	13:50	14:50

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	19-Nov-08	Haze	63	19-Nov-08	Sunny	113*	09:30	10:30
						102*	10:30	11:30
						112*	11:30	12:30
City Hall	19-Nov-08	Haze	78	19-Nov-08	Sunny	110*	13:29	14:29
						109*	14:29	15:29
						116*	15:29	16:29

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	21-Nov-08	Haze	79	21-Nov-08	Haze	162 *	09:45	10:45
						149 *	10:55	11:55
						134 *	13:10	14:10
City Hall	21-Nov-08	Haze	95	21-Nov-08	Haze	92 *	09:55	10:55
						110 *	11:15	12:15
						110 *	13:25	14:25

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	27-Nov-08	Sunny	105	27-Nov-08	Sunny	185*	10:40	11:40
						180*	13:25	14:25
						128*	14:30	15:30
City Hall	27-Nov-08	Sunny	140	27-Nov-08	Sunny	294*	10:30	11:30
						191*	13:15	14:15
						207*	14:20	15:20

General Remarks:

\* --

The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was failed.  
1-hour monitorings are operated by High Volume Sampler