

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	04-Dec-09	Sunny	80	04-Dec-09	Sunny	94 *	09:45	10:45
						93 *	10:53	11:53
						97 *	13:00	14:00
City Hall	04-Dec-09	Sunny	123	04-Dec-09	Sunny	138 *	09:34	10:34
						111 *	10:42	11:42
						142 *	13:00	14:00

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	10-Dec-09	Sunny	55	10-Dec-09	Sunny	123 *	08:30	09:30
						66 *	09:52	10:52
						64 *	10:58	11:58
City Hall	10-Dec-09	Sunny	94	10-Dec-09	Sunny	144 *	08:30	09:30
						96 *	09:40	10:40
						97 *	10:45	11:45

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	16-Dec-09	Rainy	33	16-Dec-09	Rainy	146 *	08:30	09:30
						39 *	09:51	10:51
						38 *	10:56	11:56
City Hall	16-Dec-09	Rainy	55	16-Dec-09	Rainy	119 *	08:30	09:30
						60 *	09:40	10:40
						55 *	10:44	11:44

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	22-Dec-09	Sunny	55	22-Dec-09	Sunny	38 *	09:45	10:45
						74 *	10:53	11:53
						88 *	13:00	14:00
City Hall	22-Dec-09	Sunny	86	22-Dec-09	Sunny	113 *	09:33	10:33
						115 *	10:39	11:39
						132 *	13:00	14:00

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	28-Dec-09	Cloudy	60	28-Dec-09	Cloudy	138 *	08:30	09:30
						66 *	15:07	16:07
						64 *	16:11	17:11
City Hall	28-Dec-09	Cloudy	83	28-Dec-09	Cloudy	220 *	08:30	09:30
						84 *	14:55	15:55
						100 *	15:59	16:59

STATION	Date	Condition	conc., $\mu\text{g}/\text{m}^3$	Date	Condition	1-hour TSP	Time	
PLA	31-Dec-09	Cloudy	91	31-Dec-09	Cloudy	54 *	09:52	10:52
						63 *	10:58	11:58
						72 *	13:00	14:00
City Hall	31-Dec-09	Cloudy	119	31-Dec-09	Cloudy	80 *	09:40	10:40
						66 *	10:45	11:45
						118 *	13:00	14:00

General Remarks:

* -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler