

**Central Reclamation Phase III  
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	02-Jan-09	Sunny	87	02-Jan-09	Sunny	89*	08:55	09:55
						87*	10:10	11:10
						98*	11:25	12:25
City Hall	02-Jan-09	Sunny	94	02-Jan-09	Sunny	98*	09:05	10:05
						110*	10:25	11:25
						87*	12:55	13:55

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	08-Jan-09	Sunny	93	08-Jan-09	Sunny	110*	13:14	14:14
						107*	14:37	15:37
						113*	15:50	16:50
City Hall	08-Jan-09	Sunny	87	08-Jan-09	Sunny	102*	13:03	14:03
						98*	14:21	15:21
						106*	15:37	16:37

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	13-Jan-09	Sunny	77	13-Jan-09	Sunny	108*	09:20	10:20
						117*	10:25	11:25
						114*	11:40	12:40
City Hall	13-Jan-09	Sunny	83	13-Jan-09	Sunny	98*	09:10	10:10
						104*	10:15	11:15
						115*	11:25	12:25

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	19-Jan-09	Cloudy	75	19-Jan-09	Cloudy	96*	13:25	14:25
						83*	14:35	15:35
						94*	15:45	16:45
City Hall	19-Jan-09	Cloudy	80	19-Jan-09	Cloudy	97*	13:20	14:20
						84*	14:40	15:40
						83*	15:50	16:50

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	23-Jan-09	Cloudy	65	23-Jan-09	Cloudy	77 *	09:45	10:45
						79 *	11:10	12:10
						74 *	13:15	14:15
City Hall	23-Jan-09	Cloudy	84	23-Jan-09	Cloudy	83 *	09:35	10:35
						79 *	11:00	12:00
						97 *	13:05	14:05

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	29-Jan-09	Fine	70	29-Jan-09	Fine	66 *	13:05	14:05
						71*	14:25	15:25
						69 *	15:35	16:35
City Hall	29-Dec-08	Fine	96	29-Dec-08	Fine	79 *	13:10	14:10
						70 *	14:20	15:20
						66 *	15:40	16:40

General Remarks:

\* --

The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler