

**Central Reclamation Phase III  
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	03-Jul-09	Sunny	113	03-Jul-09	Sunny	89 *	09:00	10:00
						129 *	10:15	11:15
						108 *	11:30	12:30
City Hall	03-Jul-09	Sunny	74	03-Jul-09	Sunny	126 *	09:15	10:15
						122 *	10:30	11:30
						125 *	11:45	12:45

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	09-Jul-09	Sunny	44	09-Jul-09	Sunny	45 *	12:45	13:45
						29 *	13:55	14:55
						43 *	15:45	16:45
City Hall	09-Jul-09	Sunny	50	09-Jul-09	Sunny	36 *	12:55	13:55
						45 *	14:00	15:00
						29 *	15:15	16:15

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	15-Jul-09	Sunny	16	15-Jul-09	Sunny	25 *	12:25	13:25
						40 *	13:45	14:45
						28 *	15:15	16:15
City Hall	15-Jul-09	Sunny	41	15-Jul-09	Sunny	45 *	12:35	13:35
						32 *	13:55	14:55
						55 *	15:20	16:20

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	21-Jul-09	Sunny	22	21-Jul-09	Sunny	35 *	12:30	13:30
						39 *	13:45	14:45
						29 *	14:55	15:55
City Hall	21-Jul-09	Sunny	36	21-Jul-09	Sunny	93 *	12:45	13:45
						117 *	14:00	15:00
						40 *	15:10	16:10

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	27-Jul-09	Cloudy	27	27-Jul-09	Cloudy	32 *	13:47	14:47
						37 *	14:56	15:56
						39 *	15:59	16:59
City Hall	27-Jul-09	Cloudy	48	27-Jul-09	Cloudy	89 *	13:38	14:38
						83 *	14:43	15:43
						71 *	15:46	16:46

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	31-Jul-09	Fine	33	31-Jul-09	Fine	73 *	09:45	10:45
						48 *	13:35	14:35
						41 *	14:40	15:40
City Hall	31-Jul-09	Fine	60	31-Jul-09	Fine	141 *	09:55	10:55
						146 *	13:48	14:48
						133 *	14:52	15:52

General Remarks:

\* --

The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler