

**Central Reclamation Phase III  
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	03-Nov-09	Sunny	65	03-Nov-09	Sunny	129 *	09:55	10:55
						110 *	10:59	11:59
						87 *	13:09	14:09
City Hall	03-Nov-09	Sunny	112	03-Nov-09	Sunny	188 *	09:45	10:45
						224 *	10:48	11:48
						183 *	13:01	14:01

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	09-Nov-09	Fine	22	09-Nov-09	Fine	57 *	13:47	14:47
						45 *	14:52	15:52
						44 *	15:56	16:56
City Hall	09-Nov-09	Fine	50	09-Nov-09	Fine	92 *	13:39	14:39
						92 *	14:41	15:41
						87 *	15:45	16:45

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	13-Nov-09	Fine	32	13-Nov-09	Fine	66 *	08:30	09:30
						37 *	09:41	10:41
						52 *	10:45	11:45
City Hall	13-Nov-09	Fine	44	13-Nov-09	Fine	127 *	08:30	09:30
						67 *	10:00	11:00
						61 *	13:10	14:10

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	19-Nov-09	Sunny	61	19-Nov-09	Sunny	82 *	08:30	09:30
						112 *	13:48	14:48
						100 *	14:53	15:53
City Hall	19-Nov-09	Sunny	91	19-Nov-09	Sunny	147 *	08:30	09:30
						182 *	13:34	14:34
						150 *	14:41	15:41

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	24-Nov-09	Sunny	68	24-Nov-09	Sunny	73 *	09:50	10:50
						94 *	10:58	11:58
						101 *	13:05	14:05
City Hall	24-Nov-09	Sunny	100	24-Nov-09	Sunny	98 *	09:36	10:36
						117 *	10:47	11:47
						122 *	13:00	14:00

STATION	Date	Condition	conc., $\mu\text{g}/\text{m}^3$	Date	Condition	1-hour TSP	Time	
PLA	30-Nov-09	Sunny	77	30-Nov-09	Sunny	158 *	08:30	09:30
						96 *	09:48	10:48
						88 *	10:55	11:55
City Hall	30-Nov-09	Sunny	113	30-Nov-09	Sunny	225 *	08:30	09:30
						118 *	09:36	10:36
						121 *	10:43	11:43

General Remarks:

\* -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler