

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	03-Sep-09	Sunny	49	03-Sep-09	Sunny	103 *	09:00	10:00
						67 *	13:40	14:40
						121 *	14:49	15:49
City Hall	03-Sep-09	Sunny	87	03-Sep-09	Sunny	337 *	09:10	10:10
						278 *	13:30	14:30
						178 *	14:39	15:39

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	09-Sep-09	Sunny	71	09-Sep-09	Sunny	75 *	08:45	09:45
						44 *	09:50	10:50
						33 *	11:00	12:00
City Hall	09-Sep-09	Sunny	116	09-Sep-09	Sunny	94 *	08:30	09:30
						86 *	09:40	10:40
						69 *	10:50	11:50

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	15-Sep-09	Rainy	21	15-Sep-09	Rainy	45 *	13:17	14:17
						43 *	14:25	15:25
						40 *	15:40	16:40
City Hall	15-Sep-09	Rainy	36	15-Sep-09	Rainy	61 *	13:07	14:07
						116 *	14:15	15:15
						96 *	15:30	16:30

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	21-Sep-09	Cloudy	37	21-Sep-09	Cloudy	59 *	13:49	14:49
						63 *	14:52	15:52
						56 *	15:57	16:57
City Hall	21-Sep-09	Cloudy	94	21-Sep-09	Cloudy	161 *	13:41	14:41
						135 *	14:43	15:43
						102 *	15:46	16:46

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	25-Sep-09	Sunny	30	25-Sep-09	Sunny	66 *	13:19	14:19
						44 *	14:23	15:23
						49 *	15:26	16:26
City Hall	25-Sep-09	Sunny	81	25-Sep-09	Sunny	130 *	13:08	14:08
						112 *	14:15	15:15
						132 *	15:18	16:18

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	30-Sep-09	Cloudy	19	30-Sep-09	Cloudy	39 *	09:25	10:25
						35 *	10:50	11:50
						36 *	13:00	14:00
City Hall	30-Sep-09	Cloudy	23	30-Sep-09	Cloudy	49 *	09:00	10:00
						49 *	10:30	11:30
						49 *	13:00	14:00

General Remarks:

* --

The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler