

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	01-Apr-10	Fine	57	01-Apr-10	Fine	97 *	08:47	09:47
						96 *	09:53	10:53
						94 *	10:58	11:58
City Hall	01-Apr-10	Fine	95	01-Apr-10	Fine	207 *	08:35	09:35
						179 *	09:40	10:40
						154 *	10:44	11:44

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	07-Apr-10	Cloudy	41	07-Apr-10	Cloudy	43 *	13:54	14:54
						29 *	15:03	16:03
						100 *	16:10	17:10
City Hall	07-Apr-10	Cloudy	62	07-Apr-10	Cloudy	123 *	13:40	14:40
						70 *	14:50	15:50
						76 *	15:58	16:58

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	13-Apr-10	Fine	50	13-Apr-10	Fine	42 *	13:48	14:48
						40 *	14:56	15:56
						54 *	16:02	17:02
City Hall	13-Apr-10	Fine	88	13-Apr-10	Fine	63 *	13:35	14:35
						41 *	14:42	15:42
						100 *	15:50	16:50

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	19-Apr-10	Fine	65	19-Apr-10	Fine	132 *	08:30	09:30
						56 *	09:48	10:48
						62 *	10:59	11:59
City Hall	19-Apr-10	Fine	100	19-Apr-10	Fine	234 *	08:30	09:30
						120 *	09:36	10:36
						108 *	10:45	11:45

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	23-Apr-10	Sunny	38	23-Apr-10	Sunny	76 *	08:30	09:30
						48 *	09:49	10:49
						44 *	10:55	11:55
City Hall	23-Apr-10	Sunny	72	23-Apr-10	Sunny	128 *	08:30	09:30
						97 *	09:36	10:36
						85 *	10:41	11:41

STATION	Date	Weather	24-hour TSP	Date	Weather	1-hour TSP	Time	
PLA	29-Apr-10	Rainy	36	29-Apr-10	Rainy	177 *	08:30	09:30
						68 *	14:46	15:46
						96 *	15:54	16:54
City Hall	29-Apr-10	Rainy	56	29-Apr-10	Rainy	330 *	08:30	09:30
						187 *	14:30	15:30
						182 *	15:39	16:39

General Remarks:

* -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler