

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	02-Aug-10	Sunny	19	02-Aug-10	Sunny	51 *	08:30	09:30
						26 *	09:52	10:52
						37 *	10:57	11:57
City Hall	02-Aug-10	Sunny	30	02-Aug-10	Sunny	114 *	08:30	09:30
						76 *	09:40	10:40
						38 *	10:44	11:44

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	06-Aug-10	Sunny	34	06-Aug-10	Sunny	57 *	08:30	09:30
						53 *	09:48	10:48
						53 *	10:57	11:57
City Hall	06-Aug-10	Sunny	75	06-Aug-10	Sunny	130 *	08:30	09:30
						74 *	09:35	10:35
						109 *	10:45	11:45

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	12-Aug-10	Sunny	23	12-Aug-10	Sunny	63 *	09:00	10:00
						49 *	10:03	11:03
						44 *	11:06	12:06
City Hall	12-Aug-10	Sunny	N.A.#	12-Aug-10	Sunny	153 *	08:45	09:45
						73 *	09:50	10:50
						56 *	10:54	11:54

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	18-Aug-10	Sunny	22	18-Aug-10	Sunny	67 *	08:30	09:30
						39 *	09:50	10:50
						31 *	10:56	11:56
City Hall	18-Aug-10	Sunny	35	18-Aug-10	Sunny	118 *	08:30	09:30
						58 *	09:39	10:39
						63 *	10:44	11:44

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	24-Aug-10	Rainy	25	24-Aug-10	Rainy	91 *	08:30	09:30
						66 *	14:42	15:42
						32 *	15:53	16:53
City Hall	24-Aug-10	Rainy	40	24-Aug-10	Rainy	136 *	08:30	09:30
						73 *	14:30	15:30
						46 *	15:40	16:40

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	30-Aug-10	Sunny	65	30-Aug-10	Sunny	106 *	08:30	09:30
						91 *	09:49	10:49
						82 *	10:56	11:56
City Hall	30-Aug-10	Sunny	106	30-Aug-10	Sunny	158 *	08:30	09:30
						127 *	09:37	10:37
						135 *	10:43	11:43

General Remarks:

* -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler

#_-- High Volume Sampler was out of operation on 12 August 2010 at City Hall.