

**Central Reclamation Phase III  
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	01-Dec-10	Cloudy	102	01-Dec-10	Cloudy	175 *	08:30	09:30
						102 *	13:52	14:52
						107 *	15:03	16:03
City Hall	01-Dec-10	Cloudy	112	01-Dec-10	Cloudy	186 *	08:30	09:30
						118 *	13:40	14:40
						145 *	14:50	15:50

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	07-Dec-10	Hazy	141	07-Dec-10	Hazy	486 *	08:30	09:30
						244 *	14:42	15:42
						251 *	15:50	16:50
City Hall	07-Dec-10	Hazy	186	07-Dec-10	Hazy	660 *	08:30	09:30
						325 *	14:30	15:30
						310 *	15:37	16:37

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	13-Dec-10	Cloudy and Hazy	98	13-Dec-10	Cloudy and Hazy	330 *	08:30	09:30
						152 *	09:49	10:49
						139 *	10:54	11:54
City Hall	13-Dec-10	Cloudy and Hazy	107	13-Dec-10	Cloudy and Hazy	393 *	08:30	09:30
						211 *	09:36	10:36
						182 *	10:40	11:40

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	17-Dec-10	Sunny	86	17-Dec-10	Sunny	113 *	08:30	09:30
						75 *	09:51	10:51
						90 *	10:54	11:54
City Hall	17-Dec-10	Sunny	100	17-Dec-10	Sunny	133 *	08:30	09:30
						96 *	09:40	10:40
						84 *	10:43	11:43

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	23-Dec-10	Sunny and Hazy	129	23-Dec-10	Sunny and Hazy	277 *	08:30	09:30
						141 *	14:40	15:40
						143 *	15:48	16:48
City Hall	23-Dec-10	Sunny and Hazy	148	23-Dec-10	Sunny and Hazy	272 *	08:30	09:30
						187 *	14:28	15:28
						142 *	15:35	16:35

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	29-Dec-10	Sunny	87	29-Dec-10	Sunny	124 *	08:30	09:30
						96 *	13:50	14:50
						119 *	14:59	15:59
City Hall	29-Dec-10	Sunny	110	29-Dec-10	Sunny	147 *	08:30	09:30
						165 *	13:37	14:37
						168 *	14:47	15:47

**General Remarks:**

\* -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler