

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	01-Jun-10	Rainy	18	01-Jun-10	Rainy	97 *	08:30	09:30
						49 *	14:30	15:30
						66 *	15:44	16:44
City Hall	01-Jun-10	Rainy	35	01-Jun-10	Rainy	232 *	08:30	09:30
						118 *	14:15	15:15
						118 *	15:27	16:27

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	07-Jun-10	Sunny	31	07-Jun-10	Sunny	102 *	08:30	09:30
						75 *	14:44	15:44
						71 *	15:48	16:48
City Hall	07-Jun-10	Sunny	83	07-Jun-10	Sunny	243 *	08:30	09:30
						176 *	14:31	15:31
						178 *	15:36	16:36

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	11-Jun-10	Sunny	79	11-Jun-10	Sunny	80 *	08:30	09:30
						34 *	14:00	15:00
						34 *	15:13	16:13
City Hall	11-Jun-10	Sunny	120	11-Jun-10	Sunny	137 *	08:30	09:30
						50 *	13:48	14:48
						70 *	14:58	15:58

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	17-Jun-10	Fine	18	17-Jun-10	Fine	68 *	08:30	09:30
						37 *	14:38	15:38
						31 *	15:48	16:48
City Hall	17-Jun-10	Fine	33	17-Jun-10	Fine	136 *	08:30	09:30
						45 *	14:25	15:25
						42 *	15:36	16:36

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	23-Jun-10	Cloudy	17	23-Jun-10	Cloudy	63 *	08:30	09:30
						24 *	14:38	15:38
						26 *	15:42	16:42
City Hall	23-Jun-10	Cloudy	39	23-Jun-10	Cloudy	101 *	08:30	09:30
						28 *	14:23	15:23
						39 *	15:29	16:29

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	29-Jun-10	Sunny	19	29-Jun-10	Sunny	83 *	08:30	09:30
						44 *	13:58	14:58
						52 *	15:09	16:09
City Hall	29-Jun-10	Sunny	59	29-Jun-10	Sunny	231 *	08:30	09:30
						65 *	13:45	14:45
						83 *	14:55	15:55

General Remarks:

* -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler