

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	04-Apr-11	Showers	97	04-Apr-11	Showers	86 *	08:15	09:15
						179 *	09:41	10:41
						89 *	10:50	11:50
City Hall	04-Apr-11	Showers	91	04-Apr-11	Showers	163 *	08:15	09:15
						268 *	09:25	10:25
						147 *	10:35	11:35

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	08-Apr-11	Sunny	80	08-Apr-11	Sunny	177 *	08:15	09:15
						167 *	13:52	14:52
						184 *	15:03	16:03
City Hall	08-Apr-11	Sunny	82	08-Apr-11	Sunny	211 *	08:15	09:15
						188 *	13:38	14:38
						249 *	14:49	15:49

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	14-Apr-11	Sunny	89	14-Apr-11	Sunny	210 *	08:30	09:30
						87 *	14:15	15:15
						77 *	15:26	16:26
City Hall	14-Apr-11	Sunny	100	14-Apr-11	Sunny	234 *	08:30	09:30
						129 *	14:00	15:00
						120 *	15:10	16:10

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	20-Apr-11	Sunny	126	20-Apr-11	Sunny	329 *	08:30	09:30
						197 *	14:35	15:35
						199 *	15:41	16:41
City Hall	20-Apr-11	Sunny	128	20-Apr-11	Sunny	328 *	08:30	09:30
						228 *	14:21	15:21
						182 *	15:26	16:26

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	26-Apr-11	Sunny	94	26-Apr-11	Sunny	174 *	09:40	10:40
						202 *	10:48	11:48
						158 *	13:00	14:00
City Hall	26-Apr-11	Sunny	86	26-Apr-11	Sunny	158 *	09:25	10:25
						131 *	10:32	11:32
						144 *	13:00	14:00

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	29-Apr-11	Showers	110	29-Apr-11	Showers	148 *	13:24	14:24
						142 *	14:30	15:30
						142 *	15:37	16:37
City Hall	29-Apr-11	Showers	106	29-Apr-11	Showers	185 *	13:10	14:10
						154 *	14:15	15:15
						163 *	15:22	16:22

General Remarks:

- (1) * -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore 1-hour monitorings were operated by High Volume Sampler