

**Central Reclamation Phase III
TSP Monitoring Result**

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	03-Aug-11	Sunny	27	03-Aug-11	Sunny	86 *	08:15	09:15
						35 *	14:00	15:00
						33 *	15:10	16:10
City Hall	03-Aug-11	Sunny	50	03-Aug-11	Sunny	184 *	08:15	09:15
						77 *	13:35	14:35
						73 *	15:25	16:25

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	09-Aug-11	Fine	19	09-Aug-11	Fine	60 *	08:15	09:15
						33 *	09:50	10:50
						27 *	10:55	11:55
City Hall	09-Aug-11	Fine	33	09-Aug-11	Fine	135 *	08:15	09:15
						52 *	09:37	10:37
						52 *	10:41	11:41

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	15-Aug-11	Sunny	29	15-Aug-11	Sunny	94 *	08:15	09:15
						49 *	14:45	15:45
						44 *	15:50	16:50
City Hall	15-Aug-11	Sunny	56	15-Aug-11	Sunny	82 *	08:15	09:15
						40 *	14:21	15:21
						66 *	16:03	17:03

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	19-Aug-11	Sunny	30	19-Aug-11	Sunny	31 *	08:15	09:15
						40 *	09:48	10:48
						30 *	10:58	11:58
City Hall	19-Aug-11	Sunny	65	19-Aug-11	Sunny	69 *	08:15	09:15
						75 *	09:35	10:35
						63 *	10:45	11:45

STATION	Date	Weather Condition	24-hour TSP conc., $\mu\text{g}/\text{m}^3$	Date	Weather Condition	1-hour TSP conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	25-Aug-11	Fine	62	25-Aug-11	Fine	104 *	08:15	09:15
						70 *	14:33	15:33
						56 *	15:42	16:42
City Hall	25-Aug-11	Fine	99	25-Aug-11	Fine	212 *	08:15	09:15
						108 *	14:20	15:20
						91 *	15:53	16:53

STATION	Date	Condition	conc., $\mu\text{g}/\text{m}^3$	Date	Condition	conc., $\mu\text{g}/\text{m}^3$	Time	
PLA	31-Aug-11	Sunny and Hazy	59	31-Aug-11	Sunny and Hazy	138 *	08:30	09:30
						144 *	14:18	15:18
						128 *	15:35	16:35
City Hall	31-Aug-11	Sunny and Hazy	117	31-Aug-11	Sunny and Hazy	308 *	08:30	09:30
						257 *	14:00	15:00
						266 *	15:58	16:58

General Remarks:

(1) * -- The dust sampler for 1-hour TSP measurement (Microdust Pro IR Dust Sampler by Casella) was out of operation therefore